Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	103	("6141786" "4322577" "6199087" "4833678" "5689452" "6766345" "6298136" "4527269" "6760742" "4555784" "4847801" "5642367" "6510228" "6560338" "5499253" "4597083" "5446745" "5890800" "6466959" "5343481" "5459740" "5671349" "6263470" "6523054" "4567568" "4574361" "5313474" "5502665" "6134572" "6598201" "6378104" "6550035" "6185304" "5379243" "6138133" "6691277" "6266688" "6038581" "4852098" "6138134" "4989171" "5948117" "4037093" "4797848" "4918638" "5978954" "4162480" "4875211" "5666369" "5691994").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 16:50
S2	99	S1 and @ad<"20011204"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 17:00
S3	22	S2 and (encipher$3 or encrypt$3 or cryptograph$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 16:55
S4	15	S2 and (log or logarithmic)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 17:05
S5	8	S2 and (2d or 2-d or (("2" or two) with dimension$2))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 17:08
S6	8	S2 and (("2" or two) with (column or col or row))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 17:08

S7	1072	(encipher$3 or encrypt$3) with (log or logarithm$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:37
S8	103	(encipher$3 or encrypt$3) near (log or logarithm$2)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:36
S9	634	S7 and @ad<"20011204"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:37
S10	0	S9 and (anti-log or (inverse adj log))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:54
S11	158	S9 and ((log or logarithm) with (add or addition or sum or summation))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:40
S12	2	S11 and (primitive)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:38
S13	0	S10 and ((galois or finite) adj (field))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:40
S14	54	S9 and ((log or logarithm) with table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:40

S16	0	(encrypt$3 or encipher$3) with (anti-log or (inverse adj log))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:54
S17	7	(encrypt$3 or encipher$3) with ((anti or inverse) with (log or logarithm$2))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:56
S18	0	S13 and @ad<"20011204"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:55
S20	145	(encrypt$3 or encipher$3) and ((anti or inverse) with (log or logarithm$2))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:56
S21	92	S20 and @ad<"20011204"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:56
S22	6	S21 and (((anti or inverse) with (log or logarithm$2)) with table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 10:56

Set	Items	Description
S1	25620	2X256 OR 2(2N)256
S2	2894287	TABLE OR TABLES OR TABULAR? OR ARRAY? ? OR MATRICE? ? OR M-ATRIX?
S3	1244626	ROW OR ROWS OR COLUMN?
S4	407375	LOG OR LOGS OR ANTILOG? ?
S5	45432	PRIMITIVE? ?
S6	282007	AES OR RIJNDAEL OR RIJNDEAL OR ENCRYPT? OR CIPHER? OR CYPH-ER? OR ENCIPHER? OR ENCYPHER?
S7	383	S1(S)S2:S3
S8	3	S7(S)S4:S5
S9	40	S1(S)(S6 OR ALGORITHM?)
S10	73	S4(10N)S5
S11	5	S10(S)(S6 OR S2:S3)
S12	0	S10(S)ALGORITHM?
S13	46	S8:S9 OR S11
S14	24	S13/2002:2005
S15	22	S13 NOT S14
S16	15	RD (unique items)
S17	68	S10 NOT S13
S18	15	S17/2002:2005
S19	53	S17 NOT S18
S20	39	RD (unique items)

?

Set	Items	Description
S1	18647	2X256 OR 2(2N)256
S2	2548146	TABLE OR TABLES OR TABULAR? OR ARRAY? ? OR MATRICE? ? OR M-ATRIX?
S3	1713029	ROW OR ROWS OR COLUMN?
S4	438734	LOG OR LOGS OR ANTILOG? ?
S5	81379	PRIMITIVE? ?
S6	207434	AES OR RIJNDAEL OR RIJNDEAL OR ENCRYPT? OR CIPHER? OR CYPH-ER? OR ENCIPHER? OR ENCYPHER?
S7	585	S1(S)S2:S3
S8	10	S7(S)S4:S5
S9	70	S1(S)(S6 OR ALGORITHM?)
S10	154	S4(10N)S5
S11	18	S10(S)(S6 OR ALGORITHM? OR S2:S3)
S12	8	S9(S)S2:S5
S13	34	S8 OR S11:S12
S14	8	S13/2002:2005
S15	26	S13 NOT S14
S16	24	RD (unique items)
S17	33	S9/2002:2005
S18	32	S9 NOT (S17 OR S13)
S19	27	RD (unique items)

FILE 'COMPUAB, COMPUSCIENCE, CONFSCI, CONF, ELCOM, INFODATA, RDISCLOSURE, ANTE, LISA, MATH, MATHDI' ENTERED AT 11:50:04 ON 09 JUN 2005

```
L1         142 SEA 2X256 OR 2(2N) 256
L2      249968 SEA TABLE OR TABLES OR TABULAR? OR ARRAY# OR MATRICE# OR
                   MATRIX?
L3       26780 SEA ROW OR ROWS OR COLUMN?
L4       40750 SEA LOG OR LOGS OR ANTILOG#
L5       17659 SEA PRIMITIVE#
L6      419601 SEA AES OR RIJNDAEL OR RIJNDEAL OR ENCRYPT? OR CIPHER? OR
                   CYPHER? OR ENCIPHER? OR ENCYPHER? OR ALGORITHM?
L7          35 SEA L1 AND (L2 OR L3)
L8          32 SEA L1 AND L6
L9          50 SEA L4(10N) L5
L10         21 SEA L9 AND (L6 OR (L2 OR L3))
L11         76 SEA L7 OR L8 OR L10
L12     256655 SEA 2002-2005/PY,PD
L13         73 SEA L11 NOT L12
```

```
File     6:NTIS 1964-2005/May W5
            (c) 2005 NTIS, Intl Cpyrght All Rights Res
File     2:INSPEC 1969-2005/May W5
            (c) 2005 Institution of Electrical Engineers
File     8:Ei Compendex(R) 1970-2005/May W5
            (c) 2005 Elsevier Eng.  Info. Inc.
File    34:SciSearch(R) Cited Ref Sci 1990-2005/Jun W1
            (c) 2005 Inst for Sci Info
File    35:Dissertation Abs Online 1861-2005/May
            (c) 2005 ProQuest Info&Learning
File    65:Inside Conferences 1993-2005/Jun W1
            (c) 2005 BLDSC all rts. reserv.
File    94:JICST-EPlus 1985-2005/Apr W3
            (c)2005 Japan Science and Tech Corp(JST)
File    95:TEME-Technology & Management 1989-2005/May W1
            (c) 2005 FIZ TECHNIK
File    99:Wilson Appl. Sci & Tech Abs 1983-2005/May
            (c) 2005 The HW Wilson Co.
File   111:TGG Natl.Newspaper Index(SM) 1979-2005/Jun 09
            (c) 2005 The Gale Group
File   144:Pascal 1973-2005/May W5
            (c) 2005 INIST/CNRS
File   256:TecInfoSource 82-2005/Apr
            (c) 2005 Info.Sources Inc
File   266:FEDRIP 2005/Jun
            Comp & dist by NTIS, Intl Copyright All Rights Res
File   434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
            (c). 1998 Inst for Sci Info
File   483:Newspaper Abs Daily 1986-2005/Jun 07
             (c) 2005 ProQuest Info&Learning
File   583:Gale Group Globalbase(TM) 1986-2002/Dec 13
            (c) 2002 The Gale Group
File   603:Newspaper Abstracts 1984-1988
            (c)2001 ProQuest Info&Learning
```

Set	Items	Description
S1	1636	2X256 OR 2(2N)256
S2	2811124	TABLE OR TABLES OR TABULAR? OR ARRAY? ? OR MATRICE? ? OR M-ATRIX?
S3	1389444	ROW OR ROWS OR COLUMN?
S4	251290	LOG OR LOGS OR ANTILOG? ?
S5	122285	PRIMITIVE? ?
S6	100981	AES OR RIJNDAEL OR RIJNDEAL OR ENCRYPT? OR CIPHER? OR CYPH-ER? OR ENCIPHER? OR ENCYPHER?
S7	276	S1 AND S2:S3
S8	5	S7 AND S4:S5
S9	143	S1 AND (S6 OR ALGORITHM?)
S10	34	S9 AND S2:S5
S11	109	S4(10N)S5
S12	45	S11 AND (S6 OR ALGORITHM? OR S2:S3)
S13	83	S8 OR S10 OR S12
S14	15	S13/2002:2005
S15	68	S13 NOT (S14 OR LOG(1W)CABIN? ?)
S16	50	RD (unique items)

 16/7/9   (Item 7 from file: 2)
DIALOG(R)File   2:INSPEC
(c) 2005 Institution of Electrical Engineers. All rts. reserv.

5456484   INSPEC Abstract Number: B9702-6140C-092, C9702-5260B-070

```
Set      Items    Description
S1        8259    2X256 OR 2(2N)256
S2      1070883   TABLE OR TABLES OR TABULAR? OR ARRAY? ? OR MATRICE? ? OR M-
                  ATRIX?
S3       663330   ROW OR ROWS OR COLUMN?
S4        90085   LOG OR LOGS OR ANTILOG? ?
S5        13393   PRIMITIVE? ?
S6        70909   AES OR RIJNDAEL OR RIJNDEAL OR ENCRYPT? OR CIPHER? OR CYPH-
                  ER? OR ENCIPHER? OR ENCYPHER?
S7          847   S1(20N)S2:S3
S8            5   S7(20N)S4:S5
S9           61   S1(20N)(S6 OR ALGORITHM?)
S10           1   S9(20N)S4:S5
S11          14   S9(20N)S2:S3
S12        8914   IC=H04L-009
S13          29   S4(10N)S5
S14           0   S13(20N)(S6 OR ALGORITHM?)
S15           0   S13 AND S12
S16           4   S13(20N)S2:S3
S17          18   (S10:S11 OR S16) NOT S8
S18          18   IDPAT (sorted in duplicate/non-duplicate order)
S19          18   IDPAT (primary/non-duplicate records only)
S20          25   S13 NOT (S19 OR S8)
S21          10   S9 AND S12
S22           7   S21 NOT (S19 OR S8 OR S20)
```

```
Set      Items    Description
S1         160    2X256 OR 2(2N)256
S2      787239    TABLE OR TABLES OR TABULAR? OR ARRAY? ? OR MATRICE? ? OR M-
                  ATRIX?
S3      409435    ROW OR ROWS OR COLUMN?
S4       42858    LOG OR LOGS OR ANTILOG? ?
S5        2861    PRIMITIVE? ?
S6       29755    AES OR RIJNDAEL OR RIJNDEAL OR ENCRYPT? OR CIPHER? OR CYPH-
                  ER? OR ENCIPHER? OR ENCYPHER?
S7          22    S1 AND S2:S3
S8           2    S1 AND (S6 OR ALGORITHM?)
S9       40193    IC='H04L-009'
S10          0    S1 AND S4 AND S5
S11          0    S1 AND S4:S5
S12         14    S4 AND S5
S13          4    S12 AND (S6 OR S9 OR S2:S3)
S14       9480    MC=T01-D01
S15      10867    MC=W01-A05A
S16          1    S12 AND S14:S15
S17         28    S7:S8 OR S13 OR S16
S18         10    S12 NOT S17
```